

1085486

https://www.phoenixcontact.com/us/products/1085486

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



The FL PANEL ADAPTER 40 is designed to allow products 40 mm wide to be mounted flush to a panel, in any orientation.

Product description

The FL PANEL ADAPTER 40 is designed to allow products 40 mm wide to be mounted flush to a panel, in any orientation.

Your advantages

· Easy and secure adapting of DIN rail products to mount directly to a panel

Commercial data

Item number	1085486
Packing unit	1 pc
Sales key	DN22
Product key	DNN1ZZ
GTIN	4055626835051
Weight per piece (including packing)	112.1 g
Weight per piece (excluding packing)	55.35 g
Customs tariff number	76169990
Country of origin	TW



1085486

https://www.phoenixcontact.com/us/products/1085486

Technical data

Product properties

Housing material

	Product type	Assembly adapter		
Dimensions				
	Width	34 mm		
	Height	104.21 mm		
	Depth	55.8 mm		
	Hole diameter	5 mm		
Material specifications				
	Material	Stainless steel 304		

Stainless steel



1085486

https://www.phoenixcontact.com/us/products/1085486

Classifications

ECLASS

	ECLASS-11.0	27182807		
	ECLASS-12.0	27182807		
	ECLASS-13.0	27182807		
ETIM				
	ETIM 9.0	EC002625		
UNSPSC				
	UNSPSC 21.0	39121700		



1085486

https://www.phoenixcontact.com/us/products/1085486

Environmental product compliance

Fulfills EU RoHS substance requirements	Yes, No exemptions		
China RoHS			
Environment friendly use period (EFUP)	EFUP-E		
	No hazardous substances above the limits		
EU REACH SVHC			
REACH candidate substance (CAS No.)	No substance above 0.1 wt%		



1085486

https://www.phoenixcontact.com/us/products/1085486

Accessories

FL SWITCH 1016N - Industrial Ethernet Switch

1085255

https://www.phoenixcontact.com/us/products/1085255



Narrow Ethernet switch, sixteen RJ45 ports with 10/100 Mbps on all ports, automatic data transmission speed detection, autocrossing function, and QoS

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com