SIEMENS

Data sheet

3SU1804-0AA00-0AB1



Enclosure for command devices, 22 mm, round, Enclosure material plastic, enclosure top part gray, 4 control points plastic, Recess for labels, without equipment


| product brand name | SIRIUS ACT | | |
|---|---|--------------------------------|--|
| product designation | Enclosures | | |
| product type designation | 3SU1 | | |
| Enclosure | | | |
| design of the housing | with recess for label | | |
| shape of the enclosure front | rectangular | | |
| material of the enclosure | plastic | | |
| number of command points | 4 | | |
| product component protective collar | No | | |
| color of the enclosure top part | grey | | |
| fastening method of the enclosure | Vertical / horizontal | | |
| General technical data | | | |
| protection class IP | IP66, IP67, IP69(IP69K) | | |
| degree of protection NEMA rating | 1, 2, 3, 3R, 4, 4X, 12, 13 | | |
| shock resistance for railway applications according to EN 61373 | Category 1, Class B | | |
| vibration resistance for railway applications according to EN 61373 | Category 1, Class B | | |
| Substance Prohibitance (Date) | 10/01/2014 | | |
| cable entry type | Without | | |
| Connections/ Terminals | | | |
| type of electrical connection on enclosure | Cable routing above and below, both 1 x M25 | | |
| tightening torque of fixing screws in the enclosure cover | 1.5 1.7 N·m | | |
| Ambient conditions | | | |
| ambient temperature | | | |
| during operation | -25 +70 °C | | |
| during storage | -40 +80 °C | | |
| environmental category during operation according to IEC 60721 | 3M6, 3S2, 3B2, 3C3, 3K6 (with relative air humidity of 10 95%, no condensation in operation permitted for all devices behind front panel) | | |
| Installation/ mounting/ dimensions | | | |
| fastening method of modules and accessories | Floor mounting | | |
| height | 194 mm | | |
| width | 85 mm | | |
| depth | 64 mm | | |
| mounting diameter | 22.3 mm | | |
| positive tolerance of installation diameter | 0.4 mm | | |
| Certificates/ approvals | | | |
| General Product Approval | | Declaration of Con- formity | |

| SP Car | <u>Confirmation</u> | | UDE VDE | EHC | UK CA | |
|--|---|--|--|----------------------------|--------------------------|--|
| Declaration of Con- formity | Test Certificates | | Marine / Shipping | | | |
| CE EG-Konf. | Type Test Certific- ates/Test Report | Special Test Certific- ate | ABS | Llovd's Register us | PRS | |
| Marine / Shipping | other | Environment | | | | |
| RINA | <u>Confirmation</u> | Environmental Con- firmations | | | | |
| Further information | | | | | | |
| https://press.siemens.c Siemens is working o Please contact your loc EAC relevant market (c Information on the pa https://support.industry Information- and Dow https://www.siemens.cc Industry Mall (Online | n the renewal of the cur cal Siemens office on the so other than the sanctioned ckaging .siemens.com/cs/ww/en/v mloadcenter (Catalogs, lo om/ic10 ordering system) | e/siemens-wind-down-rus rent EAC certificates. status of validity of the EA EAEU member states Rus iew/109813875 | C certification if you intend ssia or Belarus). | to import or offer to supp | bly these products to an | |

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1804-0AA00-0AB1

Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3SU1804-0AA00-0AB1

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...) http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1804-0AA00-0AB1&lang=en



last modified:

1/26/2022 🖸