583859-5 O DO NOT USE FOR NEW DESIGN


AMP | AMP Twin-Leaf

TE Internal #: 583859-5 Housing, Receptacle, Wire-to-Board, 18 Position, .156 in [3.96 mm] Centerline, Crimp, 2 Row, Black, Printed Circuit Board, AMP Twin-Leaf

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing

Connector & Housing Type: Receptacle

Connector System: Wire-to-Board

Number of Positions: 18

Centerline (Pitch): 3.96 mm [.156 in]

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board

Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Dual Positions	18
Number of Positions	18
Number of Rows	2
Body Features	
Primary Product Color	Black
Contact Features	
Contact Current Rating (Max)	5 A
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Strain Relief	Without
PCB Mount Retention	Without
Panel Mount Feature Type	Mounting Ears

C For support call+1 800 522 6752

583859-5

Housing, Receptacle, Wire-to-Board, 18 Position, .156 in [3.96 mm] Centerline, Crimp, 2 Row, Black, Printed Circuit Board, AMP Twin-Leaf



Connector Mounting Type	Board Mount
Housing Features	
Housing Material	Polyester GF
Centerline (Pitch)	3.96 mm[.156 in]
Dimensions	
	.75 in
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
Glow Wire Rating	Standard Part - Not Glow Wire
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	200
Packaging Method	Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these


583859-5

Housing, Receptacle, Wire-to-Board, 18 Position, .156 in [3.96 mm] Centerline, Crimp, 2 Row, Black, Printed Circuit Board, AMP Twin-Leaf




limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Also in the Series | AMP Twin-Leaf



Customers Also Bought



TE Part #87077-2	TE Part #770090-1	TE Part #640254-1	TE Part #61280-2
MOD IV KEYING PLUG	06P .093 COMM P&S PLUG HSG	KEYING PLUG .045 SQ PST CONN	BUTTON CONTACT 20-16 AWG BR
-ETE			
TE Part #770095-1	TE Part #61280-1	TE Part #2-87456-5	TE Part #CM9762-000
09P .093 COMM P&S PLUG	BUTTON CONTACT 20-16 AWG BR	30 MODIV HSG COMP DR .100CL	CG80M16/1



Documents

& For support call+1 800 522 6752

583859-5

Housing, Receptacle, Wire-to-Board, 18 Position, .156 in [3.96 mm] Centerline, Crimp, 2 Row, Black, Printed Circuit Board, AMP Twin-Leaf



Product Drawings TW-LF CRP HSG 18 POS

English

Product Specifications

Product Specification

English

Product Specification

English

Instruction Sheets Instruction Sheet (U.S.)

English

Agency Approvals

UL

English