

## Product consolidation OMNIMATE® Signal B2L 3.50

Dear Madam or Sir,

we hereby inform you that the below listed articles has been subjected to be discontinued and will no longer be available after a transitional period. Please pass this product information only to your employees and possibly to your customers

### 1. General Overview

---

Type of notification:     PCN                       PDN                       Short-term action (<6 months)

#### Short-term action due to:

- |  |   |
|--|---|
| <input type="checkbox"/> Software / Firmware Bugfix                | <input type="checkbox"/> Short term delivery stop by supplier |
| <input type="checkbox"/> Short term recall by supplier             | <input type="checkbox"/> Force majeure                        |
| <input type="checkbox"/> Product improvement with customer benefit | <input type="checkbox"/> other                                |
- 

### 2. General Information

---

Technological change, ecological action and competitive supply security require temporary product adjustments or even consolidations. Our phase-out strategy supports you with possible equipment adjustments.

Target of this strategy is:

- To drive technological change with our customers.  
**Customer benefits: General product improvements for successor articles**
  - To establish ecological action in our processes  
**Customer benefits: Lower CO2 emissions by avoiding inefficiencies**
  - Reduce complexity through product and function consolidation  
**Customer benefits: Improved delivery and supply security**
  - To support possible appliance adaptations in parallel  
**Customer benefits: Extended supply for long-term storage**
- 

### 3. Availability













---

- |                              |                   |
|------------------------------|-------------------|
| • Start of Production (SoP): | 01.01.1999        |
| • End of Sales (EoS):        | <b>30.12.2023</b> |
| • End of Delivery (EoD):     | 31.12.2024        |
| • End of Life/Service (EoL): | 31.03.2025        |

30.12.2023 is the last date for an order, final deliveries are scheduled to take place till 31.12.2024.

## 4. Product comparison

The B2CF 3.50 can be used as the successor for the B2L 3.50. Despite its different mating face, it is compatible with the S2L 3.50, S2L-SMT 3.50 and S2LD-THR 3.50 pin headers.

Technical Data B2L 3.50	Technical Data B2CF 3.50
<ul style="list-style-type: none"> <li>IEC: 200 V / 10.3 A / 0.2 - 1 mm<sup>2</sup></li> <li>UL: 300 V / 10 A / AWG 28 - AWG 16</li> <li>Stripping length: 7 mm</li> </ul>	<ul style="list-style-type: none"> <li>IEC: 320 V / 13.4 A / 0.14 - 1.5 mm<sup>2</sup></li> <li>UL: 300 V / 9.5 A / AWG 30 - AWG 16</li> <li>Stripping length: 10 mm</li> </ul>
B2L 3.50/180	B2CF 3.50/180
	
	
B2L 3.50/180F	B2CF 3.50/180F
	
	
B2L 3.50/180LH	B2CF 3.50/180LH
	
	

In the course of this discontinuation, the B2L 3.50 AH cover will also no longer be available. There is no replacement for this article.

---

## 5. Affected parts

---

A list of the affected articles and their successors can be found in the appendix. If a B2L 3.50 you have purchased so far does not have a direct successor, please contact your sales representative.

---

We are very sorry for all the inconveniences caused and doing everything to adjust this product change as smooth as possible without big influence on delivery times and general functions.

For further questions please contact your sales office directly. All contacts for sales representatives are available here:

<http://www.weidmueller.com/contact>

Weidmüller will see this notification as accepted unless a separate procedure is requested in writing within 30 days of the issue date

Best regards

Product Management

Weidmüller Interface GmbH & Co. KG  
Klingenbergstraße 16, 32758 Detmold, Germany

**Weidmueller** – Your partner in Industrial Connectivity

We look forward to sharing ideas with you – **Let's connect.**













B2L	1024040000	B2L 3.50/32/180F SN OR BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1336520000	B2L 3.50/32/180F SN OR BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1765420000	B2L 3.50/32/180LH AU BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1765360000	B2L 3.50/32/180LH AU OR BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1748620000	B2L 3.50/32/180LH SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1141530000	B2L 3.50/32/180LH SN BK BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1119590000	B2L 3.50/32/180LH SN BK BX SO	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1748460000	B2L 3.50/32/180LH SN OR BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1808860000	B2L 3.50/32/180LH SN OR BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1765310000	B2L 3.50/34/180F AU BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1765250000	B2L 3.50/34/180F AU OR BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1748310000	B2L 3.50/34/180F SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1748150000	B2L 3.50/34/180F SN OR BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1765430000	B2L 3.50/34/180LH AU BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1765370000	B2L 3.50/34/180LH AU OR BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1748630000	B2L 3.50/34/180LH SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1748470000	B2L 3.50/34/180LH SN OR BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1765320000	B2L 3.50/36/180F AU BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1765260000	B2L 3.50/36/180F AU OR BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1748320000	B2L 3.50/36/180F SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1023010000	B2L 3.50/36/180F SN BK BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1857750000	B2L 3.50/36/180F SN BK BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1748160000	B2L 3.50/36/180F SN OR BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1336530000	B2L 3.50/36/180F SN OR BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1765440000	B2L 3.50/36/180LH AU BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1765380000	B2L 3.50/36/180LH AU OR BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1748640000	B2L 3.50/36/180LH SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1141540000	B2L 3.50/36/180LH SN BK BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1044410000	B2L 3.50/36/180LH SN BK BX SO	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1309520000	B2L 3.50/36/180LH SN BK BX SO	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1748480000	B2L 3.50/36/180LH SN OR BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1417110000	B2L 3.50/36/180LH SN OR BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1808870000	B2L 3.50/36/180LH SN OR BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1905440000	B2L 3.50/36/180LH SN OR BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1707410000	B2L 3.5/20 SN OR SO	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1707150000	B2L/S2L 3.5/20 SN OR	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1699590000	B2L/S2L 3.5/20 SN SW	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1697530000	B2L/S2L 3.5/20SN OR FLA	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1707160000	B2L/S2L 3.5/20SN SW FLA	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1000010000	MDM INITIAL NUMBER TEST	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1905300000	B2L 3.5/6QV3 SO	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944560000	B2L 3.50/04/180QV2 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944590000	B2L 3.50/06/180QV3 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1292740000	B2L 3.50/06/180QV3 SN BK BX SO	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1292750000	B2L 3.50/06/180QV3 SN OR BX SO	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944600000	B2L 3.50/08/180QV4 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1301350000	B2L 3.50/08/180QV4 SN BK BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944610000	B2L 3.50/10/180QV5 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1394790000	B2L 3.50/10/180QV5 SN BK BX SO	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944620000	B2L 3.50/12/180QV6 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944630000	B2L 3.50/14/180QV7 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944640000	B2L 3.50/16/180QV8 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944650000	B2L 3.50/18/180QV9 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944660000	B2L 3.50/04/180FQV2 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944740000	B2L 3.50/04/180LHQV2 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944670000	B2L 3.50/06/180FQV3 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944750000	B2L 3.50/06/180LHQV3 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944680000	B2L 3.50/08/180FQV4 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1445350000	B2L 3.50/08/180FQV4 SN BK BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944760000	B2L 3.50/08/180LHQV4 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944690000	B2L 3.50/10/180FQV5 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944770000	B2L 3.50/10/180LHQV5 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1266330000	B2L 3.50/10/180LHQV5 SN GN BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944700000	B2L 3.50/12/180FQV6 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944780000	B2L 3.50/12/180LHQV6 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1227150000	B2L 3.50/14/180FQV7 AU BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944710000	B2L 3.50/14/180FQV7 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944790000	B2L 3.50/14/180LHQV7 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1288770000	B2L 3.50/16/180FQV8 SN BK BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1290790000	B2L 3.50/16/180FQV8 SN BK BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF

B2L	1944720000	B2L 3.50/16/180FQV8 SN BK BX PRT	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944800000	B2L 3.50/16/180LHQV8 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944730000	B2L 3.50/18/180FQV9 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1854080000	B2L3.5-SET H12	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF
B2L	1944810000	B2L 3.50/18/180LHQV9 SN BK BX	12/31/2023	12/31/2024	3/31/2025	6/30/2025	B2CF

Article Number	Article Name	Replacement - Article Number	Replacement - Description	Comment
1748480000	B2L 3.50/36/180LH SN OR BX	1376050000	B2CF 3.50/36/180LH SN OR BX	
1748620000	B2L 3.50/32/180LH SN BK BX	1375850000	B2CF 3.50/32/180LH SN BK BX	
1748480000	B2L 3.50/36/180LH SN OR BX	1376050000	B2CF 3.50/36/180LH SN OR BX	
1727640000	B2L 3.50/06/180 SN BK BX	1277470000	B2CF 3.50/06/180 SN BK BX	
1748180000	B2L 3.50/08/180F SN BK BX	1277880000	B2CF 3.50/08/180F SN BK BX	
1781650000	B2L 3.50 AH24 BK BX	-	-	Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief
1748560000	B2L 3.50/20/180LH SN BK BX	1375800000	B2CF 3.50/20/180LH SN BK BX	
1748230000	B2L 3.50/18/180F SN BK BX	1277930000	B2CF 3.50/18/180F SN BK BX	
1748200000	B2L 3.50/12/180F SN BK BX	1277900000	B2CF 3.50/12/180F SN BK BX	
1727650000	B2L 3.50/08/180 SN BK BX	1277480000	B2CF 3.50/08/180 SN BK BX	
1727670000	B2L 3.50/12/180 SN BK BX	1277510000	B2CF 3.50/12/180 SN BK BX	
1727690000	B2L 3.50/16/180 SN BK BX	1277530000	B2CF 3.50/16/180 SN BK BX	
1727670000	B2L 3.50/12/180 SN BK BX	1277510000	B2CF 3.50/12/180 SN BK BX	
1727650000	B2L 3.50/08/180 SN BK BX	1277480000	B2CF 3.50/08/180 SN BK BX	
1781610000	B2L 3.50 AH16 BK BX	-	-	Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief
1727690000	B2L 3.50/16/180 SN BK BX	1277530000	B2CF 3.50/16/180 SN BK BX	
1727640000	B2L 3.50/06/180 SN BK BX	1277470000	B2CF 3.50/06/180 SN BK BX	
1727680000	B2L 3.50/14/180 SN BK BX	1277520000	B2CF 3.50/14/180 SN BK BX	
1748180000	B2L 3.50/08/180F SN BK BX	1277880000	B2CF 3.50/08/180F SN BK BX	
1748210000	B2L 3.50/14/180F SN BK BX	1277910000	B2CF 3.50/14/180F SN BK BX	
1727600000	B2L 3.50/14/180 SN OR BX	1277330000	B2CF 3.50/14/180 SN OR BX	
1747930000	B2L 3.50/22/180 SN BK BX	1277560000	B2CF 3.50/22/180 SN BK BX	
1747960000	B2L 3.50/28/180 SN BK BX	1277590000	B2CF 3.50/28/180 SN BK BX	
1748000000	B2L 3.50/36/180 SN BK BX	1277640000	B2CF 3.50/36/180 SN BK BX	
1748050000	B2L 3.50/14/180F SN OR BX	1277730000	B2CF 3.50/14/180F SN OR BX	
1748100000	B2L 3.50/24/180F SN OR BX	1277780000	B2CF 3.50/24/180F SN OR BX	
1748250000	B2L 3.50/22/180F SN BK BX	1277950000	B2CF 3.50/22/180F SN BK BX	
1748400000	B2L 3.50/20/180LH SN OR BX	1375980000	B2CF 3.50/20/180LH SN OR BX	
1748520000	B2L 3.50/12/180LH SN BK BX	1375750000	B2CF 3.50/12/180LH SN BK BX	
1781600000	B2L 3.50 AH14 BK BX	-	-	Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief
1781610000	B2L 3.50 AH16 BK BX	-	-	Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief
1781640000	B2L 3.50 AH22 BK BX	-	-	Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief
1944800000	B2L 3.50/16/180LHQV8 SN BK BX	-	-	Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief
1748030000	B2L 3.50/10/180F SN OR BX	1277690000	B2CF 3.50/10/180F SN OR BX	
1781650000	B2L 3.50 AH24 BK BX	-	-	Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief
1781560000	B2L 3.50 AH06 BK BX	-	-	Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief
1781570000	B2L 3.50 AH08 BK BX	-	-	Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief
1748020000	B2L 3.50/08/180F SN OR BX	1277680000	B2CF 3.50/08/180F SN OR BX	
1748560000	B2L 3.50/20/180LH SN BK BX	1375800000	B2CF 3.50/20/180LH SN BK BX	
1748010000	B2L 3.50/06/180F SN OR BX	1277670000	B2CF 3.50/06/180F SN OR BX	
1748240000	B2L 3.50/20/180F SN BK BX	1277940000	B2CF 3.50/20/180F SN BK BX	
1727570000	B2L 3.50/08/180 SN OR BX	1277290000	B2CF 3.50/08/180 SN OR BX	
1920840000	B2L 3.50/04/180 SN BK BX	1277460000	B2CF 3.50/04/180 SN BK BX	
1748190000	B2L 3.50/10/180F SN BK BX	1277890000	B2CF 3.50/10/180F SN BK BX	
1747940000	B2L 3.50/24/180 SN BK BX	1277570000	B2CF 3.50/24/180 SN BK BX	
1748170000	B2L 3.50/06/180F SN BK BX	1277870000	B2CF 3.50/06/180F SN BK BX	
1727710000	B2L 3.50/20/180 SN BK BX	1277550000	B2CF 3.50/20/180 SN BK BX	
1748080000	B2L 3.50/20/180F SN OR BX	1277760000	B2CF 3.50/20/180F SN OR BX	
1748550000	B2L 3.50/18/180LH SN BK BX	1375790000	B2CF 3.50/18/180LH SN BK BX	
1748320000	B2L 3.50/36/180F SN BK BX	1278030000	B2CF 3.50/36/180F SN BK BX	
1748200000	B2L 3.50/12/180F SN BK BX	1277900000	B2CF 3.50/12/180F SN BK BX	
1748280000	B2L 3.50/28/180F SN BK BX	1277990000	B2CF 3.50/28/180F SN BK BX	
1727700000	B2L 3.50/18/180 SN BK BX	1277540000	B2CF 3.50/18/180 SN BK BX	

1727670000 B2L 3.50/12/180 SN BK BX  
1748260000 B2L 3.50/24/180F SN BK BX  
1727650000 B2L 3.50/08/180 SN BK BX  
1727690000 B2L 3.50/16/180 SN BK BX  
1727580000 B2L 3.50/10/180 SN OR BX  
1748220000 B2L 3.50/16/180F SN BK BX  
1727660000 B2L 3.50/10/180 SN BK BX  
1781580000 B2L 3.50 AH10 BK BX  
1727660000 B2L 3.50/10/180 SN BK BX  
1727660000 B2L 3.50/10/180 SN BK BX  
1781580000 B2L 3.50 AH10 BK BX  
1748030000 B2L 3.50/10/180F SN OR BX  
1747960000 B2L 3.50/28/180 SN BK BX  
1748170000 B2L 3.50/06/180F SN BK BX  
1748010000 B2L 3.50/06/180F SN OR BX  
1748180000 B2L 3.50/08/180F SN BK BX  
1727660000 B2L 3.50/10/180 SN BK BX  
1748280000 B2L 3.50/28/180F SN BK BX  
1727670000 B2L 3.50/12/180 SN BK BX  
1727560000 B2L 3.50/06/180 SN OR BX  
1727650000 B2L 3.50/08/180 SN BK BX  
1748100000 B2L 3.50/24/180F SN OR BX  
1748260000 B2L 3.50/24/180F SN BK BX  
1748550000 B2L 3.50/18/180LH SN BK BX  
1727710000 B2L 3.50/20/180 SN BK BX  
1748220000 B2L 3.50/16/180F SN BK BX  
1747930000 B2L 3.50/22/180 SN BK BX  
1727680000 B2L 3.50/14/180 SN BK BX  
1727650000 B2L 3.50/08/180 SN BK BX  
1727670000 B2L 3.50/12/180 SN BK BX  
1748320000 B2L 3.50/36/180F SN BK BX  
1781710000 B2L 3.50 AH36 BK BX  
1747930000 B2L 3.50/22/180 SN BK BX  
1727660000 B2L 3.50/10/180 SN BK BX  
1727690000 B2L 3.50/16/180 SN BK BX  
1727700000 B2L 3.50/18/180 SN BK BX  
1727600000 B2L 3.50/14/180 SN OR BX  
1727710000 B2L 3.50/20/180 SN BK BX  
1727630000 B2L 3.50/20/180 SN OR BX  
1727580000 B2L 3.50/10/180 SN OR BX  
1727590000 B2L 3.50/12/180 SN OR BX  
1727610000 B2L 3.50/16/180 SN OR BX  
1727640000 B2L 3.50/06/180 SN BK BX  
1727670000 B2L 3.50/12/180 SN BK BX  
1727680000 B2L 3.50/14/180 SN BK BX  
1748190000 B2L 3.50/10/180F SN BK BX  
1748270000 B2L 3.50/26/180F SN BK BX  
1748320000 B2L 3.50/36/180F SN BK BX  
1748380000 B2L 3.50/16/180LH SN OR BX  
1747960000 B2L 3.50/28/180 SN BK BX  
1748010000 B2L 3.50/06/180F SN OR BX  
1748180000 B2L 3.50/08/180F SN BK BX  
1748210000 B2L 3.50/14/180F SN BK BX  
1748220000 B2L 3.50/16/180F SN BK BX  
1748060000 B2L 3.50/16/180F SN OR BX  
1748120000 B2L 3.50/28/180F SN OR BX

1277510000 B2CF 3.50/12/180 SN BK BX  
1277970000 B2CF 3.50/24/180F SN BK BX  
1277480000 B2CF 3.50/08/180 SN BK BX  
1277530000 B2CF 3.50/16/180 SN BK BX  
1277310000 B2CF 3.50/10/180 SN OR BX  
1277920000 B2CF 3.50/16/180F SN BK BX  
1277490000 B2CF 3.50/10/180 SN BK BX  
- -  
1277490000 B2CF 3.50/10/180 SN BK BX  
1277490000 B2CF 3.50/10/180 SN BK BX  
- -  
1277690000 B2CF 3.50/10/180F SN OR BX  
1277590000 B2CF 3.50/28/180 SN BK BX  
1277870000 B2CF 3.50/06/180F SN BK BX  
1277670000 B2CF 3.50/06/180F SN OR BX  
1277880000 B2CF 3.50/08/180F SN BK BX  
1277490000 B2CF 3.50/10/180 SN BK BX  
1277990000 B2CF 3.50/28/180F SN BK BX  
1277510000 B2CF 3.50/12/180 SN BK BX  
1277280000 B2CF 3.50/06/180 SN OR BX  
1277480000 B2CF 3.50/08/180 SN BK BX  
1277780000 B2CF 3.50/24/180F SN OR BX  
1277970000 B2CF 3.50/24/180F SN BK BX  
1375790000 B2CF 3.50/18/180LH SN BK BX  
1277550000 B2CF 3.50/20/180 SN BK BX  
1277920000 B2CF 3.50/16/180F SN BK BX  
1277560000 B2CF 3.50/22/180 SN BK BX  
1277520000 B2CF 3.50/14/180 SN BK BX  
1277480000 B2CF 3.50/08/180 SN BK BX  
1277510000 B2CF 3.50/12/180 SN BK BX  
1278030000 B2CF 3.50/36/180F SN BK BX  
- -  
1277560000 B2CF 3.50/22/180 SN BK BX  
1277490000 B2CF 3.50/10/180 SN BK BX  
1277530000 B2CF 3.50/16/180 SN BK BX  
1277540000 B2CF 3.50/18/180 SN BK BX  
1277330000 B2CF 3.50/14/180 SN OR BX  
1277550000 B2CF 3.50/20/180 SN BK BX  
1277360000 B2CF 3.50/20/180 SN OR BX  
1277310000 B2CF 3.50/10/180 SN OR BX  
1277320000 B2CF 3.50/12/180 SN OR BX  
1277340000 B2CF 3.50/16/180 SN OR BX  
1277470000 B2CF 3.50/06/180 SN BK BX  
1277510000 B2CF 3.50/12/180 SN BK BX  
1277520000 B2CF 3.50/14/180 SN BK BX  
1277890000 B2CF 3.50/10/180F SN BK BX  
1277980000 B2CF 3.50/26/180F SN BK BX  
1278030000 B2CF 3.50/36/180F SN BK BX  
1375950000 B2CF 3.50/16/180LH SN OR BX  
1277590000 B2CF 3.50/28/180 SN BK BX  
1277670000 B2CF 3.50/06/180F SN OR BX  
1277880000 B2CF 3.50/08/180F SN BK BX  
1277910000 B2CF 3.50/14/180F SN BK BX  
1277920000 B2CF 3.50/16/180F SN BK BX  
1277740000 B2CF 3.50/16/180F SN OR BX  
1277810000 B2CF 3.50/28/180F SN OR BX

Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief

Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief

Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief

1748280000 B2L 3.50/28/180F SN BK BX	1277990000 B2CF 3.50/28/180F SN BK BX	
1748080000 B2L 3.50/20/180F SN OR BX	1277760000 B2CF 3.50/20/180F SN OR BX	
1747850000 B2L 3.50/22/180 SN OR BX	1277370000 B2CF 3.50/22/180 SN OR BX	
1727560000 B2L 3.50/06/180 SN OR BX	1277280000 B2CF 3.50/06/180 SN OR BX	
1727650000 B2L 3.50/08/180 SN BK BX	1277480000 B2CF 3.50/08/180 SN BK BX	
1748620000 B2L 3.50/32/180LH SN BK BX	1375850000 B2CF 3.50/32/180LH SN BK BX	
1748550000 B2L 3.50/18/180LH SN BK BX	1375790000 B2CF 3.50/18/180LH SN BK BX	
1727660000 B2L 3.50/10/180 SN BK BX	1277490000 B2CF 3.50/10/180 SN BK BX	
1727560000 B2L 3.50/06/180 SN OR BX	1277280000 B2CF 3.50/06/180 SN OR BX	
1727570000 B2L 3.50/08/180 SN OR BX	1277290000 B2CF 3.50/08/180 SN OR BX	
1727610000 B2L 3.50/16/180 SN OR BX	1277340000 B2CF 3.50/16/180 SN OR BX	
1727660000 B2L 3.50/10/180 SN BK BX	1277490000 B2CF 3.50/10/180 SN BK BX	
1747930000 B2L 3.50/22/180 SN BK BX	1277560000 B2CF 3.50/22/180 SN BK BX	
1747960000 B2L 3.50/28/180 SN BK BX	1277590000 B2CF 3.50/28/180 SN BK BX	
1748000000 B2L 3.50/36/180 SN BK BX	1277640000 B2CF 3.50/36/180 SN BK BX	
1748020000 B2L 3.50/08/180F SN OR BX	1277680000 B2CF 3.50/08/180F SN OR BX	
1748230000 B2L 3.50/18/180F SN BK BX	1277930000 B2CF 3.50/18/180F SN BK BX	
1748290000 B2L 3.50/30/180F SN BK BX	1278000000 B2CF 3.50/30/180F SN BK BX	
1748380000 B2L 3.50/16/180LH SN OR BX	1375950000 B2CF 3.50/16/180LH SN OR BX	
1748430000 B2L 3.50/26/180LH SN OR BX	1376000000 B2CF 3.50/26/180LH SN OR BX	
1748550000 B2L 3.50/18/180LH SN BK BX	1375790000 B2CF 3.50/18/180LH SN BK BX	
1748560000 B2L 3.50/20/180LH SN BK BX	1375800000 B2CF 3.50/20/180LH SN BK BX	
1781570000 B2L 3.50 AH08 BK BX	-	Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief
1781580000 B2L 3.50 AH10 BK BX	-	Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief
1781620000 B2L 3.50 AH18 BK BX	-	Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief
1781650000 B2L 3.50 AH24 BK BX	-	Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief
1944610000 B2L 3.50/10/180QV5 SN BK BX	-	
1781610000 B2L 3.50 AH16 BK BX	-	Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief
1748170000 B2L 3.50/06/180F SN BK BX	1277870000 B2CF 3.50/06/180F SN BK BX	
1748200000 B2L 3.50/12/180F SN BK BX	1277900000 B2CF 3.50/12/180F SN BK BX	
1748190000 B2L 3.50/10/180F SN BK BX	1277890000 B2CF 3.50/10/180F SN BK BX	
1748260000 B2L 3.50/24/180F SN BK BX	1277970000 B2CF 3.50/24/180F SN BK BX	
1748240000 B2L 3.50/20/180F SN BK BX	1277940000 B2CF 3.50/20/180F SN BK BX	
1748080000 B2L 3.50/20/180F SN OR BX	1277760000 B2CF 3.50/20/180F SN OR BX	
1748320000 B2L 3.50/36/180F SN BK BX	1278030000 B2CF 3.50/36/180F SN BK BX	
1727700000 B2L 3.50/18/180 SN BK BX	1277540000 B2CF 3.50/18/180 SN BK BX	
1727600000 B2L 3.50/14/180 SN OR BX	1277330000 B2CF 3.50/14/180 SN OR BX	
1727640000 B2L 3.50/06/180 SN BK BX	1277470000 B2CF 3.50/06/180 SN BK BX	
1920840000 B2L 3.50/04/180 SN BK BX	1277460000 B2CF 3.50/04/180 SN BK BX	
1747940000 B2L 3.50/24/180 SN BK BX	1277570000 B2CF 3.50/24/180 SN BK BX	
1727580000 B2L 3.50/10/180 SN OR BX	1277310000 B2CF 3.50/10/180 SN OR BX	
1748180000 B2L 3.50/08/180F SN BK BX	1277880000 B2CF 3.50/08/180F SN BK BX	
1748210000 B2L 3.50/14/180F SN BK BX	1277910000 B2CF 3.50/14/180F SN BK BX	
1727710000 B2L 3.50/20/180 SN BK BX	1277550000 B2CF 3.50/20/180 SN BK BX	
1727680000 B2L 3.50/14/180 SN BK BX	1277520000 B2CF 3.50/14/180 SN BK BX	
1727650000 B2L 3.50/08/180 SN BK BX	1277480000 B2CF 3.50/08/180 SN BK BX	
1727670000 B2L 3.50/12/180 SN BK BX	1277510000 B2CF 3.50/12/180 SN BK BX	
1748220000 B2L 3.50/16/180F SN BK BX	1277920000 B2CF 3.50/16/180F SN BK BX	
1727690000 B2L 3.50/16/180 SN BK BX	1277530000 B2CF 3.50/16/180 SN BK BX	
1748280000 B2L 3.50/28/180F SN BK BX	1277990000 B2CF 3.50/28/180F SN BK BX	
1727640000 B2L 3.50/06/180 SN BK BX	1277470000 B2CF 3.50/06/180 SN BK BX	
1727650000 B2L 3.50/08/180 SN BK BX	1277480000 B2CF 3.50/08/180 SN BK BX	
1727670000 B2L 3.50/12/180 SN BK BX	1277510000 B2CF 3.50/12/180 SN BK BX	
1727690000 B2L 3.50/16/180 SN BK BX	1277530000 B2CF 3.50/16/180 SN BK BX	
1748120000 B2L 3.50/28/180F SN OR BX	1277810000 B2CF 3.50/28/180F SN OR BX	
1748180000 B2L 3.50/08/180F SN BK BX	1277880000 B2CF 3.50/08/180F SN BK BX	

1748220000 B2L 3.50/16/180F SN BK BX	1277920000 B2CF 3.50/16/180F SN BK BX
1748240000 B2L 3.50/20/180F SN BK BX	1277940000 B2CF 3.50/20/180F SN BK BX
1748260000 B2L 3.50/24/180F SN BK BX	1277970000 B2CF 3.50/24/180F SN BK BX
1727580000 B2L 3.50/10/180 SN OR BX	1277310000 B2CF 3.50/10/180 SN OR BX
1748210000 B2L 3.50/14/180F SN BK BX	1277910000 B2CF 3.50/14/180F SN BK BX
1727660000 B2L 3.50/10/180 SN BK BX	1277490000 B2CF 3.50/10/180 SN BK BX
1748010000 B2L 3.50/06/180F SN OR BX	1277670000 B2CF 3.50/06/180F SN OR BX
1748120000 B2L 3.50/28/180F SN OR BX	1277810000 B2CF 3.50/28/180F SN OR BX
1727560000 B2L 3.50/06/180 SN OR BX	1277280000 B2CF 3.50/06/180 SN OR BX
1748170000 B2L 3.50/06/180F SN BK BX	1277870000 B2CF 3.50/06/180F SN BK BX
1748320000 B2L 3.50/36/180F SN BK BX	1278030000 B2CF 3.50/36/180F SN BK BX
1748030000 B2L 3.50/10/180F SN OR BX	1277690000 B2CF 3.50/10/180F SN OR BX
1748050000 B2L 3.50/14/180F SN OR BX	1277730000 B2CF 3.50/14/180F SN OR BX
1748060000 B2L 3.50/16/180F SN OR BX	1277740000 B2CF 3.50/16/180F SN OR BX
1748200000 B2L 3.50/12/180F SN BK BX	1277900000 B2CF 3.50/12/180F SN BK BX
1727690000 B2L 3.50/16/180 SN BK BX	1277530000 B2CF 3.50/16/180 SN BK BX
1748480000 B2L 3.50/36/180LH SN OR BX	1376050000 B2CF 3.50/36/180LH SN OR BX
1727650000 B2L 3.50/08/180 SN BK BX	1277480000 B2CF 3.50/08/180 SN BK BX
1748260000 B2L 3.50/24/180F SN BK BX	1277970000 B2CF 3.50/24/180F SN BK BX
1781650000 B2L 3.50 AH24 BK BX	-
1727670000 B2L 3.50/12/180 SN BK BX	1277510000 B2CF 3.50/12/180 SN BK BX
1847520000 B2L 3.50/06/180 SN OR BX PRT	2509600000 B2CF 3.50/06/180 SN OR BX LRP
1847530000 B2L 3.50/08/180 SN OR BX PRT	2509610000 B2CF 3.50/08/180 SN OR BX LRP

Due to no replacement for the cover hoods, as alternative we can offer B2CF with attached strain relief