

Part Number : 747480002

**Product Description :** SFP Cage Lightpipe Cover Assembly, 1-by-6, Rear Mount, Low

Profile

Series Number: 74748

Status: Active

**Product Category:** High-Speed EMI Cages

#### **Documents & Resources**

## **Drawings**

Drawing 747480002\_sd.pdf

## **Product Environment Compliance**

## Compliance

| GADSL/IMDS         | Not Relevant                                      |
|--------------------|---|
| China RoHS         | <b>©</b>  |
| EU ELV             | Compliant per 2000/53/EC                          |
| Low-Halogen Status | Not Low-Halogen per IEC 61249-2-<br>21            |
| REACH SVHC         | Not Contained per D(2023)8585-DC<br>(23 Jan 2024) |
| EU RoHS            | Compliant per EU 2015/863                         |

## Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

## Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

#### **Part Details**

#### General

| Status         | Active   |
|----------------|--|
| Category       | High-Speed EMI Cages   |
| Series         | 74748  |
| Description    | SFP Cage Lightpipe Cover<br>Assembly, 1-by-6, Rear Mount, Low<br>Profile |
| Application    | N/A  |
| Comments       | Rear mount lightpipe location, low profile                               |
| Component Type | Lightpipe  |
| Product Family | SFP+ and SFP Interconnect<br>Solutions                                   |
| Product Name   | SFP  |
| UPC            | 822348616701   |

# Physical

| EMI Panel / Bezel Mount     | N/A          |
|-----------------------------|--------------|
| Light Pipes per Port        | N/A          |
| Material - Metal            | Copper Alloy |
| Net Weight                  | 8.467/g      |
| Orientation                 | Horizontal   |
| Packaging Type              | Tray         |
| Port Configuration          | 1x6          |
| Rear Legs                   | 0            |
| Termination Interface Style | N/A          |
| Thermal Height              | N/A          |
| Thermal Solutions           | N/A          |

## Solder Process Data

| Lead-Free Process Capability | N/A |
|------------------------------|-----|
| Max-Temp                     | 70  |