

Part Number: 2077780513

Product Description: Squba 3.6 Sealed Plug Assembly, 3.60mm Pitch, 3 Circuits, Single Row, Glow-Wire Capable, Key E, Brown,

UL1015/UL1230 Compatible

Series Number: 207778 Status: Active

**Product Category:** Connector Housings

#### **Documents & Resources**

#### **Drawings**

<u>Drawing 2077780513\_sd.pdf</u> Packaging Design Drawing 2077780000-PK-000.pdf

### 3D Models and Design Files

3D Model 2077780513\_stp.zip

#### **Specifications**

Application Specification 2077760000-AS-000.pdf Product Specification 2077760000-PS-000.pdf Test Summary 2077760000-TS-000.pdf

## **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	•
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

# EU RoHS Certificate of Compliance

## **Part Details**

### General

Status	Active
Category	Connector Housings
Series	207778
Description	Squba 3.6 Sealed Plug Assembly, 3.60mm Pitch, 3 Circuits, Single Row, Glow-Wire Capable, Key E, Brown, UL1015/UL1230 Compatible
Application	Power, Signal, Wire-to-Wire
Product Family	Squba Sealed Wire-to-Wire Connectors
Product Name	Squba
UPC	196823171611

# Agency

|--|

# Physical

	·
Circuits (maximum)	3
Color - Resin	Brown
Flammability	94V-0
Gender	Plug
Glow-Wire Capable	Yes
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	4.024/g
Number of Rows	1
Packaging Type	Tray

Panel Mount	No
Pitch - Mating Interface	3.60mm
Pitch - Termination Interface	3.60mm
Polarized to Mating Part	Yes
Temperature Range - Operating	-40° to +105°C

## Mates With / Use With

# Mates with Part(s)

Description	Part Number
	207782

## Use with Part(s)

Description	Part Number
Squba 3.6 Plug Terminals	207776

This document was generated on Apr 12, 2024