



# 2403201503 New Universal Outer Box and 3S Shipping Labels

**Bulletin Issue Date:** Mar 20, 2024

**Effective Date:** Mar 20, 2024

## Description of Change

Silicon Labs is pleased to announce a new Universal outer box and 3S shipping label. Outer box label contains inner box identifiers, packing quantity, and environmental information; 3S shipping label contains shipping information to delivery note. New labels will replace the current two labels on the outer box: outer box label and 3S shipping label. There is no change to the label size (4 x 6 in). This change does not affect inner box label.

Label samples are attached for reference.

Upon PB effective date, Silicon Labs will be shipping both old and new labels until inventory with old label depletes.

## Reason for Change

Label standardization for one universal label on outer box & 3S shipping label

## Product Identification

This change impacts all Silicon Labs products.

## Kit Identification

This change is considered a minor change which does not affect form, fit, function, quality, or reliability. The information is being provided as a customer courtesy.

Please contact your local Silicon Labs sales representative with any questions about this notification. A list of Silicon Labs sales representatives may be found at <http://www.silabs.com>.

## Customer Actions Needed:

Review PB.

## User Registration

Register today to create your account on [Silabs.com](http://www.silabs.com). Your personalized profile allows you to receive technical document updates, new product announcements, "how-to" and design documents, product change notices (PCN) and other valuable content available only to registered users. <http://www.silabs.com/profile>

Universal Outer Box Label (Before Change)	Universal Outer Box Label (After Change)												
<p style="text-align: center;"><b>SI1141-M01-GMR</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;">HANDLING UNIT</td> <td style="width: 50%; text-align: center;">QUANTITY</td> </tr> <tr> <td style="text-align: center;">             1005790903              1005790904         </td> <td style="text-align: center;">             2500              2500         </td> </tr> </table> <p style="text-align: center;"><b>ETRX357HR-LRS</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;">HANDLING UNIT</td> <td style="width: 50%; text-align: center;">QUANTITY</td> </tr> <tr> <td style="text-align: center;">             100034743304              10003403433              10003403434              10003403435              10003403436         </td> <td style="text-align: center;">             600              600              600              600         </td> </tr> </table> <p style="text-align: center;">Assembled in: TW</p> <p style="text-align: center;">RoHS H/F (E4) <span style="margin-left: 100px;">12205961</span> <span style="margin-left: 100px;">RoHS CE UK CA</span> <span style="margin-left: 100px;">12115024</span></p>	HANDLING UNIT	QUANTITY	 1005790903  1005790904	 2500  2500	HANDLING UNIT	QUANTITY	 100034743304  10003403433  10003403434  10003403435  10003403436	 600  600  600  600	<p style="text-align: center;"><b>BT121-A-V2-IAPC</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;">HANDLING UNIT</td> <td style="width: 50%; text-align: center;">QUANTITY</td> </tr> <tr> <td style="text-align: center;">             1003700498              1003700499              1003700500              1003700501              1003700502              1003700503         </td> <td style="text-align: center;">             2500              2500              2500              2500              2500              2500         </td> </tr> </table> <p style="text-align: center;">Assembled in: CN</p> <p style="text-align: center;">RoHS H/F (E4) CE UK CA <span style="margin-left: 100px;">11444900</span></p>	HANDLING UNIT	QUANTITY	 1003700498  1003700499  1003700500  1003700501  1003700502  1003700503	 2500  2500  2500  2500  2500  2500
HANDLING UNIT	QUANTITY												
 1005790903  1005790904	 2500  2500												
HANDLING UNIT	QUANTITY												
 100034743304  10003403433  10003403434  10003403435  10003403436	 600  600  600  600												
HANDLING UNIT	QUANTITY												
 1003700498  1003700499  1003700500  1003700501  1003700502  1003700503	 2500  2500  2500  2500  2500  2500												

Universal 3S Shipping Label (Before Change)	Universal 3S Shipping Label (After Change)						
<p>From: Austin Plant Silicon Laboratories-AU 400 West Cesar Chavez US</p> <hr/> <p>To: <span style="float: right;">DLV: 80768884</span></p> <hr/> <p>(K) TRANS ID: ZG23B21 SAMPLES </p> <hr/> <p>(3S) PKG ID: 12383223 </p> <hr/> <p>(P) CUST PROD ID: </p> <hr/> <p>(Q) QUANTITY: 100 </p> <hr/> <p>(1P) SUPPLIER PROD ID: EFR32ZG23B021F512/M40-B </p> <hr/> <p>DESCRIPTION: <b>ESD SENSITIVE MATERIAL</b></p> <hr/> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; border-right: 1px solid black;">Package Count: <b>1 OF 1</b></td> <td style="width: 50%;">Package Weight: <b>LB</b></td> </tr> </table>	Package Count: <b>1 OF 1</b>	Package Weight: <b>LB</b>	<p>From: Austin Plant Silicon Laboratories-AU 400 West Cesar Chavez US</p> <hr/> <p>To: <span style="float: right;">DLV: 80768884</span></p> <hr/> <p>(K) TRANS ID: ZG23B21 SAMPLES </p> <hr/> <p>(3S) PKG ID: 12383223 </p> <hr/> <p>(P) CUST PROD ID: </p> <hr/> <p>(1P) SUPPLIER PROD ID: EFR32ZG23B021F512M40-B </p> <hr/> <p>(1T) Tracecode: B01SDV <span style="float: right;">(9D) Datecode: 2112</span></p> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> </div> <div style="width: 45%;"> </div> </div> <hr/> <p>(Q) QUANTITY: 100 <span style="margin-left: 50px;">(4L) COO: TW</span></p> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> </div> <div style="width: 45%;"> </div> </div> <div style="text-align: right; margin-top: 10px;"> </div> <hr/> <p>DESCRIPTION: <b>ESD SENSITIVE MATERIAL</b></p> <hr/> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; border-right: 1px solid black;">Package Count: <b>1 OF 1</b></td> <td style="width: 50%;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">MSLP Reflow (C) E_Tim</td> </tr> <tr> <td style="text-align: center;">2 240 1 YRS</td> </tr> </table> </td> </tr> </table>	Package Count: <b>1 OF 1</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">MSLP Reflow (C) E_Tim</td> </tr> <tr> <td style="text-align: center;">2 240 1 YRS</td> </tr> </table>	MSLP Reflow (C) E_Tim	2 240 1 YRS
Package Count: <b>1 OF 1</b>	Package Weight: <b>LB</b>						
Package Count: <b>1 OF 1</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">MSLP Reflow (C) E_Tim</td> </tr> <tr> <td style="text-align: center;">2 240 1 YRS</td> </tr> </table>	MSLP Reflow (C) E_Tim	2 240 1 YRS				
MSLP Reflow (C) E_Tim							
2 240 1 YRS							



#### Disclaimer

Silicon Labs intends to provide customers with the latest, accurate, and in-depth documentation of all peripherals and modules available for system and software implementers using or intending to use the Silicon Labs products. Characterization data, available modules and peripherals, memory sizes and memory addresses refer to each specific device, and "Typical" parameters provided can and do vary in different applications. Application examples described herein are for illustrative purposes only. Silicon Labs reserves the right to make changes without further notice and limitation to product information, specifications, and descriptions herein, and does not give warranties as to the accuracy or completeness of the included information. Silicon Labs shall have no liability for the consequences of use of the information supplied herein. This document does not imply or express copyright licenses granted hereunder to design or fabricate any integrated circuits. The products are not designed or authorized to be used within any Life Support System without the specific written consent of Silicon Labs. A "Life Support System" is any product or system intended to support or sustain life and/or health, which, if it fails, can be reasonably expected to result in significant personal injury or death. Silicon Labs products are not designed or authorized for military applications. Silicon Labs products shall under no circumstances be used in weapons of mass destruction including (but not limited to) nuclear, biological or chemical weapons, or missiles capable of delivering such weapons.

#### Trademark Information

Silicon Laboratories Inc.®, Silicon Laboratories®, Silicon Labs®, SiLabs® and the Silicon Labs logo®, Bluegiga®, Bluegiga Logo®, Clockbuilder®, CMEMS®, DSPLL®, EFM®, EFM32®, EFR, Ember®, Energy Micro, Energy Micro logo and combinations thereof, "the world's most energy friendly microcontrollers", Ember®, EZLink®, EZRadio®, EZRadioPRO®, Gecko®, ISOModem®, Micrium, Precision32®, ProSLIC®, Simplicity Studio®, SiPHY®, Telegesis, the Telegesis Logo®, USBXpress®, Zentri and others are trademarks or registered trademarks of Silicon Labs. ARM, CORTEX, Cortex-M3 and THUMB are trademarks or registered trademarks of ARM Holdings. Keil is a registered trademark of ARM Limited. All other products or brand names mentioned herein are trademarks of their respective holders.



Silicon Laboratories Inc.  
400 West Cesar Chavez  
Austin, TX 78701

<http://www.silabs.com>