








# Screw Clamp Terminal Blocks



## Key Features

- Housing made of high quality Polyamide 6.6
- Molded from UL94-V0 material with flame and shock resistance
- Mount on any standard 35mm DIN Rails
- Vibration proof to avoid loosening
- Strong contact force, low voltage drop and excellent connection.
- Low contact resistance
- Suitable for a broad range of cross-section and types of wires
- Easy handling and wiring
- Green-yellow color coded ground terminal blocks.
- Corrosion proof contact points.

Model	CDU 2.5N			CDU 4N		
	Rated Voltage	Rated Current	Wire Size	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	20A	AWG12-28	600V	30A	AWG10-22
IEC	800V	24A	0.5-2.5mm <sup>2</sup>	800V	32A	0.5-4mm <sup>2</sup>
Torque (lb-in)	7			7.7		
Clamping Screw	M2.6			M3		
Stripping length	8-10mm			8-10mm		
Available colors	Beige, Grey, Blue			Beige, Grey, Blue		
Accessories						
End Bracket	SEW35			SEW35		
	CEW35/2			CEW35/2		
End Cover	CEP6			CEP6		
Cross Jumper	CQV 2.5/2		CQV 2.5/3	CQV 4/2		CQV 4/3
	CQV 2.5/4		CQV 2.5/10	CQV 4/4		CQV 4/10
Comb Link	CQB 2.5/2, CQB 2.5/3, CQB 2.5/10		CQB 4/2, CQB 4/3, CQB 4/10		CQB 4/10	
Warning Cover	WSS 2.5			WSS4		
Marking Tags	W5 W5Z W5K			W6 W6Z W6K		



Model	CDU 6N		
	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	50A	AWG8-26
IEC	800V	57A	0.5-6mm <sup>2</sup>
Torque (lb-in)	14		
Clamping Screw	M4		
Stripping length	10-12mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
	CEW35/2		
End Cover	CEP6		
Cross Jumper	CQV 6/2		CQV 6/3
	CQV 6/4		CQV 6/10
Comb Link	CQB 6/2, CQB 6/3, CQB 6/10		CQB 6/10
Warning Cover	WSS6		
Marking Tags	W6 W6Z W6K		


Model	CDU 10N		
	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	65A	AWG6-24
IEC	800V	76A	0.5-10mm <sup>2</sup>
Torque (lb-in)	19		
Clamping Screw	M4		
Stripping length	10-12mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
	CEW35/2		
End Cover	CEP6		
Cross Jumper	CQV 10/2		CQV 10/3
	CQV 10/4		CQV 10/10
Comb Link	CQB 10/2, CQB 10/3, CQB 10/10		CQB 10/10
Warning Cover	WSS10		
Marking Tags	W6 W6Z W6K		

Model	CDU 16		
	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	78A	AWG4-14
IEC	1000V	76A	2.5-16mm <sup>2</sup>
Torque (lb-in)	31		
Clamping Screw	M5		
Stripping length	15-17mm		
Available colors	Beige		
Accessories			
End Bracket	SEW35		
	CEW35/1		
End Cover	CEP2		
Cross Jumper	CQV 16/2		CQV 16/3
	CQV 16/4		CQV 16/10
Comb Link	CQB 16/2, CQB 16/3, CQB 6/10		CQB 6/10
Warning Cover	WS-16		
Marking Tags	W6 W6Z W6K W8 W8Z W8K		


Model	CDU 35		
	Rated Voltage	Rated Current	Wire Size
UL/CSA	1000V	114A	AWG2-10
IEC	1000V	125A	4-35mm <sup>2</sup>
Torque (lb-in)	51		
Clamping Screw	M6		
Stripping length	16-18mm		
Available colors	Beige		
Accessories			
End Bracket	SEW35		
	CEW35/1		
End Cover	CEP2		
Cross Jumper	CQV 35/2		CQV 35/3
	CQV 35/4		CQV 35/10
Comb Link	CQB 35/2, CQB 35/3, CQB 35/10		CQB 35/10
Warning Cover	WS-35		
Marking Tags	W6 W6Z W6K W8 W8Z W8K		

Model	CDU 50		
	Rated Voltage	Rated Current	Wire Size
UL/CSA	1000V	150A	AWG1/0-6
IEC	1000V	150A	16-50mm <sup>2</sup>
Torque (lb-in)	53		
Clamping Screw	M6		
Stripping length	25-30mm		
Available colors	Beige		
Accessories			
End Bracket	SEW35		
	CEW35/1		
End Cover	CEP2		
Cross Jumper	CQV 50/2		CQV 50/3
	CQV 50/3		CQV 50/10
Comb Link	CQB 50/2, CQB 50/3		CQB 50/10
Warning Cover	WS-50		
Marking Tags	W6 W6Z W6K W8 W8Z W8K		

# Screw Clamp Miniature Terminal Blocks




Model	CDU 95			CDU 150		
Technical Data	Rated Voltage	Rated Current	Wire Size	Rated Voltage	Rated Current	Wire Size
UL/CSA	1000V	230A	AWG4/0-2	600V	275A	AWG2-300
IEC	1000V	232A	35-95mm <sup>2</sup>	1000V	309A	35-150mm <sup>2</sup>
Torque (lb-in)	150			165		
Clamping Screw	M8			M10		
Stripping length	30-35mm			30-40mm		
Available colors	Beige			Beige		
Accessories						
End Bracket	SEW35			CEW35/1		
	CEW35/1					
Comb Link	CQB 95/2, CQB 95/3			CQB 105/2		
Marking Tags	W6 W6Z W6K			W6 W6Z W6K		
	W8 W8Z W8K			W8 W8Z W8K		




Model	CDU 2.5M			CDU 4M		
Technical Data	Rated Voltage	Rated Current	Wire Size	Rated Voltage	Rated Current	Wire Size
UL/CSA	300V	20A	AWG12-22	300V	30A	AWG10-22
IEC	400V	24A	0.2-2.5mm <sup>2</sup>	500V	30A	0.5-4mm <sup>2</sup>
Torque (lb-in)	7			7.7		
Clamping Screw	M2.6			M3		
Stripping length	6mm			6mm		
Available colors	Beige			Beige		
Accessories						
End Bracket	CEW15			CEW15		
End Cover	CEP7			CEP7		
Cross Jumper	CQVM 2.5/2			CQVM 4/2		
	CQVM 2.5/3			CQVM 4/3		
	CQVM 2.5/10			CQVM 4/10		
Comb Link	CQB 2.5/2, CQB 2.5/3			CQB 4/2, CQB 4/3		
Marking Tags	W5 W5Z W5K			W6 W6Z W6K		

## Fuse Holder







Model	CTR4SI-EN		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	7.5A	AWG10-22
IEC	800V	10A	0.5-4mm <sup>2</sup>
Torque (lb-in)	7.7		
Clamping Screw	M3		
Stripping length	10-12mm		
Available colors	Beige		
Accessories			
End Bracket	CEW35/2		
	SEW35		
End Cover	CEP5		
Comb Link	CQB 6/2, CQB 6/3, CQB 6/10		
Diode Plug	-		
Marking Tags	W6 W6Z W6K		
	W8 W8Z W8K		

## Screw Clamp Ground Terminal Blocks



Model	CPE 2.5N	CPE 4N	CPE 6N
UL/CSA	AWG 12-26	AWG 10-26	AWG 8-26
IEC	0.2-2.5mm <sup>2</sup>	0.2-4mm <sup>2</sup>	0.2-6mm <sup>2</sup>
Torque (lb-in)	7	8.5	16
Clamping Screw	M3	M3	M4
Stripping length	10-14mm	10-14mm	12-16mm
Available colors	Green+Yellow	Green+Yellow	Green+Yellow
Accessories			
End Bracket	SEW35	SEW35	SEW35
	CEW35/2	CEW35/2	CEW35/2
Protection Cover	DP1	DP1	DP1
Retaining Plate	AD1	AD1	AD1
Comb Link	CQB 2.5/2, QB 2.5/3, CQB 2.5/10	CQB 4/2, CQB 4/3, CQB 4/10	CQB 6/2, CQB 6/3, CQB 6/10
Marking Tags	W5 W5Z W5K	W6 W6Z W6K	W6 W6Z W6K
	W7 W7Z W7K	W8 W8Z W8K	W8 W8Z W8K







Model	CPE 10N
UL/CSA Wire Size	AWG 6-16
IEC Wire Size	0.5-10mm <sup>2</sup>
Torque (lb-in)	18
Clamping Screw	M4
Stripping length	12-16mm
Available colors	Green+Yellow
Accessories	
End Bracket	SEW35
	CEW35/2
Protection Cover	DP1
Retaining Plate	AD1
Comb Link	CQB 10/2, CQB 10/3, CQB 10/4
Marking Tags	W6 W6Z W6K
	W8 W8Z W8K

Model	CPE 16
UL/CSA Wire Size	AWG 6-14
IEC Wire Size	2.5-16mm <sup>2</sup>
Torque (lb-in)	35
Clamping Screw	M5
Stripping length	14-18mm
Available colors	Green+Yellow
Accessories	
End Bracket	SEW35
	CEW35/1
Protection Cover	DP1
Retaining Plate	AD2
Comb Link	-
Marking Tags	W6 W6Z W6K
	W8 W8Z W8K

Model	CPE 35
UL/CSA Wire Size	AWG 2-10
IEC Wire Size	4-35mm <sup>2</sup>
Torque (lb-in)	51
Clamping Screw	M6
Stripping length	14-18mm
Available colors	Green+Yellow
Accessories	
End Bracket	SEW35
	CEW35/1
Protection Cover	DP1
Retaining Plate	AD2
Comb Link	-
Marking Tags	W6 W6Z W6K
	W8 W8Z W8K

Model	CPE 50
UL/CSA Wire Size	AWG 1/0-6
IEC Wire Size	16-50mm <sup>2</sup>
Torque (lb-in)	70
Clamping Screw	M6
Stripping length	20-25mm
Available colors	Green+Yellow
Accessories	
End Bracket	SEW35
	CEW35/1
Protection Cover	-
Retaining Plate	-
Comb Link	-
Marking Tags	W6 W6Z W6K
	W8 W8Z W8K

## Screw Clamp Double Level Terminal Blocks



Model	CDK 2.5		
Technical Data	Rated Voltage	Rated Current	Wire Size
	UL/CSA	600V	20A AWG12-22
	IEC	800V	24A 0.5-2.5mm <sup>2</sup>
	Torque (lb-in)	5	
	Clamping Screw	M2.6	
Stripping length	6mm		
Available colors	Beige		
Accessories			
End Bracket	CEW35/2		
	SEW35		
End Cover	CEP3		
Cross Jumper	CQV 2.5/2	CQV 2.5/3	
	CQV 2.5/4	CQV 2.5/10	
Comb Link	CQB2.5/2, CQB2.5/3, CQB2.5/10		
Warning Cover	WSS-2.5		
Marking Tags	W5Z W5K		





Model	CDK 4		
Technical Data	Rated Voltage	Rated Current	Wire Size
	600V	30A	AWG10-22
	500V	32A	0.5-4mm <sup>2</sup>
	Torque (lb-in)	8	
	Clamping Screw	M3	
Stripping length	6mm		
Available colors	Beige		
Accessories			
End Bracket	CEW35/2		
	SEW35		
End Cover	CEP3		
Cross Jumper	CQV 4/2	CQV 4/3	
	CQV 4/4	CQV 4/10	
Comb Link	CQB4/2, CQB4/3, CQB4/10		
Warning Cover	WSS-4		
Marking Tags	W6Z W6K		

Model	CDK 6		
Technical Data	Rated Voltage	Rated Current	Wire Size
	600V	41A	AWG 8-20
	500V	50A	0.5-6mm <sup>2</sup>
	Torque (lb-in)	14	
	Clamping Screw	M4	
Stripping length	10-12mm		
Available colors	Beige		
Accessories			
End Bracket	CEW35/2		
	SEW35		
End Cover	CEP4		
Cross Jumper	CQV 6/2	CQV 6/3	
	CQV 6/4	CQV 6/10	
Comb Link	CQB6/2, CQB6/3, CQB6/10		
Warning Cover	WSS-6		
Marking Tags	W6Z W6K		

Model	CDK 10		
Technical Data	Rated Voltage	Rated Current	Wire Size
	600V	65A	AWG 6-16
	500V	76A	1.5-10mm <sup>2</sup>
	Torque (lb-in)	19	
	Clamping Screw	M4	
Stripping length	10-12mm		
Available colors	Beige		
Accessories			
End Bracket	CEW35/2		
	SEW35		
End Cover	CEP4		
Cross Jumper	CQV 10/2	CQV 10/3	
	CQV 10/4	CQV 10/10	
Comb Link	CQB10/2, CQB10/3, CQB10/10		
Warning Cover	WSS-10		
Marking Tags	W6Z W6K		



# Diode Terminal Blocks







Model	CTR 2.5D		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	2A	AWG12-22
IEC	400V	2A	0.5-2.5mm <sup>2</sup>
Torque (lb-in)	4.5		
Clamping Screw	M3		
Stripping length	10-12mm		
Available colors	Beige		
Accessories			
End Bracket	CEW35/2 SEW35		
End Cover	CEP1		
Partition	CEP2		
Comb Link	CQB 2.5/2, CQB 2.5/3, CQB 2.5/10		
Diode Plug	CSD2.5		
Marking Tags	W5 W5Z W5K W7 W7Z W7K		

Model	CTR 4D		
Technical Data	Rated Voltage	Rated Current	Wire Size
	600V	2A	AWG10-22
	800V	2A	0.5-4mm <sup>2</sup>
Torque (lb-in)	6		
Clamping Screw	M3		
Stripping length	10-12mm		
Available colors	Beige		
Accessories			
End Bracket	CEW35/2 SEW35		
End Cover	CEP1		
Partition	CEP2		
Comb Link	CQB 4/2, CQB 4/3, CQB 4/10		
Diode Plug	CSD4		
Marking Tags	W6 W6Z W6K W8 W8Z W8K		

Model	CTR 6D		
Technical Data	Rated Voltage	Rated Current	Wire Size
	600V	3A	AWG12-22
	500V	3A	0.5-6mm <sup>2</sup>
Torque (lb-in)	14		
Clamping Screw	M4		
Stripping length	12-14mm		
Available colors	Beige		
Accessories			
End Bracket	CEW35/2 SEW35		
End Cover	CEP5		
Partition	CEP2		
Comb Link	CQB 6/2, CQB 6/3, CQB 6/10		
Diode Plug	CSD6		
Marking Tags	W6 W6Z W6K W8 W8Z W8K		

Model	CTR 10D		
Technical Data	Rated Voltage	Rated Current	Wire Size
	600V	3A	AWG12-22
	500V	3A	1.5-10mm <sup>2</sup>
Torque (lb-in)	19		
Clamping Screw	M4		
Stripping length	12-14mm		
Available colors	Beige		
Accessories			
End Bracket	CEW35/2 SEW35		
End Cover	CEP5		
Partition	CEP2		
Comb Link	CQB 10/2, CQB 10/3, CQB 10/10		
Diode Plug	CSD10		
Marking Tags	W6 W6Z W6K W8 W8Z W8K		

# Screw Clamp Disconnect Terminal Blocks




Model	CTR 2.5		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	12A	AWG12-22
IEC	500V	15A	0.5-2.5mm <sup>2</sup>
Torque (lb-in)	4.5		
Clamping Screw	M3		
Stripping length	10-12mm		
Available colors	Beige		
Accessories			
End Bracket	CEW35/2 SEW35		
End Cover	CEP1		
Comb Link	CQB 2.5/2, CQB 2.5/3, CQB 2.5/10		
Diode Plug	CSD2.5		
Marking Tags	W5 W5Z W5K W7 W7Z W7K		

Model	CTR 4		
Technical Data	Rated Voltage	Rated Current	Wire Size
	600V	22A	AWG10-22
	800V	22A	0.5-4mm <sup>2</sup>
Torque (lb-in)	6		
Clamping Screw	M3		
Stripping length	10-12mm		
Available colors	Beige		
Accessories			
End Bracket	CEW35/2 SEW35		
End Cover	CEP1		
Comb Link	CQB 4/2, CQB 4/3, CQB 4/10		
Diode Plug	CSD4		
Marking Tags	W6 W6Z W6K W8 W8Z W8K		


Model	CTR 6		
Technical Data	Rated Voltage	Rated Current	Wire Size
	600V	24A	AWG8-22
	630V	24A	0.5-6mm <sup>2</sup>
Torque (lb-in)	14		
Clamping Screw	M4		
Stripping length	12-14mm		
Available colors	Beige		
Accessories			
End Bracket	CEW35/2 SEW35		
End Cover	CEP5		
Comb Link	CQB 6/2, CQB 6/3, CQB 6/10		
Diode Plug	CSD6		
Marking Tags	W6 W6Z W6K W8 W8Z W8K		

Model	CTR 10		
Technical Data	Rated Voltage	Rated Current	Wire Size
	600V	40A	AWG6-22
	630V	40A	1.5-10mm <sup>2</sup>
Torque (lb-in)	19		
Clamping Screw	M4		
Stripping length	12-14mm		
Available colors	Beige		
Accessories			
End Bracket	CEW35/2 SEW35		
End Cover	CEP5		
Comb Link	CQB 10/2, CQB 10/3, CQB 10/10		
Diode Plug	CSD10		
Marking Tags	W6 W6Z W6K W8 W8Z W8K		


# Spring Clamp Terminal Blocks




Model	SDU2.5		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	18A	AWG12-28
IEC	800V	24A	0.2-2.5mm <sup>2</sup>
Stripping length	8-9mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
End Cover	SEP1		
Comb Link	SQV2.5/2, SQV2.5/3		
Marking Tags	W5 W5Z W5K		




Model	SDU2.5/3		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	18A	AWG12-28
IEC	800V	24A	0.2-2.5mm <sup>2</sup>
Stripping length	8-9mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
End Cover	SEP2		
Comb Link	SQV2.5/2, SQV2.5/3		
Marking Tags	W5 W5Z W5K		




Model	SDU2.5/4		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	18A	AWG12-28
IEC	800V	24A	0.2-2.5mm <sup>2</sup>
Stripping length	8-9mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
End Cover	SEP3		
Comb Link	SQV2.5/2, SQV2.5/3		
Marking Tags	W5 W5Z W5K		




Model	SDU4		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	20A	AWG12-28
IEC	800V	32A	0.2-4mm <sup>2</sup>
Stripping length	9-10mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
End Cover	SEP4		
Comb Link	SQV4/2, SQV4/3		
Marking Tags	W6 W6Z W6K		




Model	SDU4/3		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	20A	AWG12-28
IEC	800V	32A	0.2-4mm <sup>2</sup>
Stripping length	8-9mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
End Cover	SEP5		
Comb Link	SQV4/2, SQV4/3		
Marking Tags	W6 W6Z W6K		




Model	SDU4/4		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	20A	AWG12-28
IEC	800V	32A	0.2-4mm <sup>2</sup>
Stripping length	9-10mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
End Cover	SEP6		
Comb Link	SQV4/2, SQV4/3		
Marking Tags	W6 W6Z W6K		




Model	SDU6		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	30A	AWG10-24
IEC	800V	41A	0.2-6mm <sup>2</sup>
Stripping length	12-13mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
End Cover	SEP7		
Comb Link	SQV6/2, SQV6/3		
Marking Tags	W6 W6Z W6K		




Model	SDU6/3		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	30A	AWG 10-24
IEC	800V	41A	0.2-6mm <sup>2</sup>
Stripping length	12-13mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
End Cover	SEP8		
Comb Link	SQV6/2, SQV6/3		
Marking Tags	W6 W6Z W6K		




Model	SDU10		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	38A	AWG 8-24
IEC	800V	57A	0.2-10mm <sup>2</sup>
Stripping length	15-16mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
End Cover	SEP9		
Comb Link	SQV10/2, SQV10/3		
Marking Tags	W6 W6Z W6K		




Model	SDU10/3		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	38A	AWG 8-24
IEC	800V	57A	0.2-10mm <sup>2</sup>
Stripping length	15-16mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
End Cover	SEP10		
Comb Link	SQV10/2, SQV10/3		
Marking Tags	W6 W6Z W6K		



Model	SDU16		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	65A	AWG4-16
IEC	1000V	85A	1.5-16mm <sup>2</sup>
Stripping length	16-17mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
End Cover	SEP12		
Comb Link	SQV16/2		
Marking Tags	W6 W6Z W6K		




Model	SDU16/3		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	65A	AWG4-16
IEC	1000V	76A	1.5-16mm <sup>2</sup>
Stripping length	16-17mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
End Cover	SEP13		
Comb Link	SQV16/2		
Marking Tags	W6 W6Z W6K		




Model	SDU35		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	120A	AWG 2-12
IEC	800V	125A	2.5-35mm <sup>2</sup>
Stripping length	25mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
End Cover	SEP14		
Comb Link	SQV35/2		
Marking Tags	W6 W6Z W6K		

## Spring Clamp Double Level Terminal Blocks




Model	SDK2.5		
Technical Data	Rated Voltage	Rated Current	Wire Size
UL/CSA	600V	20A	AWG 12-28
IEC	800V	24A	0.2-2.5mm <sup>2</sup>
Stripping length	8-9mm		
Available colors	Beige, Grey, Blue		
Accessories			
End Bracket	SEW35		
End Cover	SEP11		
Comb Link	SQV2.5/2, SQV2.5/3		
Marking Tags	W5 W5Z W5K		


# Spring Clamp Ground Terminal Blocks



Model	SPE2.5	SPE2.5/3	SPE2.5/4	SPE4	SPE4/3
UL/CSA Wire Size	AWG 12-28	AWG 12-28	AWG 12-28	AWG 12-28	AWG 12-28
IEC Wire Size	0.2-2.5mm <sup>2</sup>	0.2-2.5mm <sup>2</sup>	0.2-2.5mm <sup>2</sup>	0.2-4mm <sup>2</sup>	0.2-4mm <sup>2</sup>
Stripping length	8-9mm	8-9mm	8-9mm	9-10mm	8-9mm
Available colors	Green + Yellow	Green + Yellow	Green + Yellow	Green + Yellow	Green + Yellow
Accessories					
End Bracket	SEW35	SEW35	SEW35	SEW35	SEW35
End Cover	SEP1	SEP2	SEP3	SEP4	SEP5
Comb Link	SQV2.5/2, SQV2.5/3	SQV2.5/2, SQV2.5/3	SQV2.5/2, SQV2.5/3	SQV4/2, SQV4/3	SQV4/2, SQV4/3
Marking Tags	W5 W5Z W5K	W5 W5Z W5K	W5 W5Z W5K	W6 W6Z W6K	W6 W6Z W6K



Model	SPE4/4	SPE6	SPE6/3	SPE10	SPE10/3
UL/CSA Wire Size	AWG 12-28	AWG 10-24	AWG 10-24	AWG 8-24	AWG 8-24
IEC Wire Size	0.2-4mm <sup>2</sup>	0.2-6mm <sup>2</sup>	0.2-6mm <sup>2</sup>	0.2-10mm <sup>2</sup>	0.2-10mm <sup>2</sup>
Stripping length	9-10mm	12-13mm	12-13mm	15-16mm	15-16mm
Available colors	Green + Yellow	Green + Yellow	Green + Yellow	Green + Yellow	Green + Yellow
Accessories					
End Bracket	SEW35	SEW35	SEW35	SEW35	SEW35
End Cover	SEP6	SEP7	SEP8	SEP9	SEP10
Comb Link	SQV4/2, SQV4/3	SQV6/2, SQV6/3	SQV6/2, SQV6/3	SQV10/2, SQV10/3	SQV10/2, SQV10/3
Marking Tags	W6 W6Z W6K	W6 W6Z W6K	W6 W6Z W6K	W6 W6Z W6K	W6 W6Z W6K



Model	SPE16	SPE16/3	SPE35
UL/CSA Wire Size	AWG 4-16	AWG 4-16	AWG 2-12
IEC Wire Size	1.5-16mm <sup>2</sup>	1.5-16mm <sup>2</sup>	2.5-35mm <sup>2</sup>
Stripping length	16-17mm	16-17mm	25mm
Available colors	Green	Green	Green
Accessories			
End Bracket	SEW35	SEW35	SEW35
End Cover	SEP12	SEP12	SEP14
Comb Link	SQV16/2	SQV16/2	SQV35/2
Marking Tags	W6	W6	W6

# Accessories

## Terminal Rails




TS-37	TS-31	KTB2-CHB	TS-15
35 x 7.5mm	35 x 15mm	35 x 7.5mm	15 x 5.5 mm
Steel	Steel	Aluminum	Steel

## Protection Cover



DP1
CDU2.5 CDU4 CDU6 CDU10 CDU16 CDU35
CDK2.5 CDK4
CDE2.5 CDE4 CDE6 CDE10 CDE16 CDE35
CTR2.5 CTR2.5D CTR4 CTR4D CTR6 CTR6D CTR10 CTR10D

## End Brackets (D X W X H)



CEW15	CEW35/1	CEW35/2	SEW35
8 X 28 X 30.7	12 X 56 X 63	8 X 56 X 47	6 X 56 X 42
CDU2.5M CDU4M	CDU16 CDU35 CDU50 CDU95	CDU2.5N CDU4N CDU6N CDU10N	CDK2.5 CDK4 CDK6 CDK10
	CPE16 CPE35 CPE50	CDK2.5 CDK4 CDK6 CDK10	CTR2.5 CTR2.5D CTR4 CTR4D CTR6 CTR6D CTR10 CTR10D CTR4SI/EN
		CTR2.5 CTR2.5D CTR4 CTR4D CTR6 CTR6D CTR10 CTR10D CTR4SI/EN	SPE2.5 SPE2.5/3 SPE2.5/4 SPE4 SPE4/3 SPE4/4 SPE6 SPE6/3 SPE10 SPE10/3
			SDU2.5 SDU2.5/3 SDU2.5/4 SDU4 SDU4/3 SDU4/4 SDU6 SDU6/3 SDU10 SDU10/3

## End Covers/Partitions (W X H)



CEP1	CEP2	CEP3	CEP4	CEP5	CEP6	CEP7
55.5 X 35.5	55.5 X 51	69 X 51.5	78 X 61	56.5 X 35.5	40 X 36	27.5 X 26
CTR2.5 CTR2.5D CTR4 CTR4D	CDU16 CDU35 CTR2.5 CTR2.5D CTR4 CTR4D	CDK2.5 CDK4	CDK6 CDK10	CTR2.5 CTR4 CTR6 CTR6D CTR10 CTR10D	CDU2.5N CDU4N CDU6N CDU10N	CDU2.5M CDU4M

## End Plates



SEP1	SEP2	SEP3	SEP4	SEP5	SEP6	SEP7	SEP8	SEP9	SEP10	SEP11	SEP12
SDU2.5 SPE2.5	SDU2.5/3 SPE2.5/3	SDU2.5/4 SPE2.5/4	SDU4 SPE4	SDU4/3 SPE4/3	SDU4/4 SPE4/4	SDU6 SPE6	SDU6/3 SPE6/3	SDU10 SPE10	SDU10/3 SPE10/3	SDK2.5	SDU16

## Warning Covers



WS-16	WS-35	WSS-2.5
CDU16	CDU35	CDK2.5
WSS-4	WSS-6	WSS-10
CDK4	CDK6	CDK10



## Diode Plugs

Type	CSD2.5	CSD4	CSD6	CSD10
Electric Rating	2A600V	2A600V	3A600V	3A600V
Terminal Type	CTR2.5 CTR2.5D	CTR4 CTR4D	CTR6 CTR6D	CTR10 CTR10D

## Retaining Plate



AD 1	AD 2
3 X 56.5 X 58	3.5 X 56.5 X 74
CDU2.5 CDU4 CDU6 CDU10	CDU16 CDU35
CPE16 CPE35	CPE16 CPE35
CPE2.5 CPE4 CPE6 CPE10	CTR2.5D CTR4D CTR6D STR10D
CTR2.5 CTR4 CTR6 CTR10	CTK2.5 CTK4

## Cross Jumpers



Type	CQV-2.5	CQV-4	CQV-6	CQV-10	CQV-16	CQV-35	CQV-50	CQV-95
Pole	2, 3, 10	2, 3, 4, 10	2, 3, 10	2, 3, 10	2, 3, 4	2, 3, 4	2, 3	-
Terminal Type	CDU 2.5 CDK 2.5	CDU 4 CDK 4	CDU 6 CDK 6	CDU 10 CDK 10	CDU16	CDU35	CDU50	CDU95

## Comb Links



Type	CQB-2.5	CQB-4	CQB-6	CQB-10	CQB-16	CQB-35	CQB-50	CQB-95	
Poles	2, 3, 10	2, 3, 4, 10	2, 3, 10	2, 3, 10	2, 3, 10	2, 3, 10	2, 3	2, 3	
Terminal Type	CDU 2.5 CPE 2.5 CDK 2.5 CTR 2.5	CDU 4 CPE 4 CDK 4 CTR 4 CTR 4D	CDU 6 CPE 6 CDK 6 CTR 6 CTR 6D	CDU 10 CPE 10 CDK 10 CTR 10 CTR 10D		CDU16 CPE16	CDU35 CPE35	CDU50 CPE50	CDU95 CPE95



Type	SQV-2.5	SQV-4	SQV-6	SQV-10
Poles	2, 3	2, 3	2, 3	2, 3
Terminal Type	SDU2.5 SDU2.5/3 SDU2.5/4 SDK2.5	SPE2.5 SPE2.5/3 SPE2.5/4	SDU4 SDU4/3 SDU4/4	SPE4 SPE4/3 SPE4/4
			SDU6/6 SEU6/3	SPE6/3 SPE6/3
			SDU10 SDU10/3	SPE10 SPE6/3



W-6

## Blank Marking Tags

Model	Size (mm)	PCS/Sheet	Number of sheets/pkg	Compatible Blocks
W-4	4.5 X 10	40p/s	10	SDU/SPE 2.5 ~ 10
W-5	5 X 6	50p/s	10	SDU/SPE/SDK 2.5 CDU/CDK/CPE/CTR/CSD 2.5
W-6	6 X 6	50p/s	10	CDU/CDK/CPE/CTR/CSD 4 ~ 10
W-7	5 X 12	40p/s	10	CDU/CPE/CTR 2.5
W-8	6 X 12	40p/s	10	CDU/CPE/CTR 4 ~ 10 SDU/SPE 2.5



W5K-1/50

## Legend Marking Tags

Model	Size (mm)	Legend	Number of sheets/pkg	Compatible Blocks
W4K-1/40	4.5 X 10	1 to 40	10	SDU/SPE 2.5 ~ 10
W4K-41/80	4.5 X 10	41 to 80	10	SDU/SPE 2.5 ~ 10
W4K-A/Z	4.5 X 10	A to Z	10	SDU/SPE 2.5 ~ 10
W5K-1/50	5 X 6	1 to 50	10	SDU/SPE/SDK 2.5 CDU/CDK/CPE/CTR 2.5
W5K-51/100	5 X 6	51 to 100	10	SDU/SPE/SDK 2.5 CDU/CDK/CPE/CTR 2.5
W5K-A/Z	5 X 6	A to Z	10	SDU/SPE/SDK 2.5 CDU/CDK/CPE/CTR 2.5
W6K-1/50	6 X 6	1 to 50	10	CDU/CDK/CPE/CTR 4 ~ 10
W6K-51/100	6 X 6	51 to 100	10	CDU/CDK/CPE/CTR 4 ~ 10
W6K-A/Z	6 X 6	A to Z	10	CDU/CDK/CPE/CTR 4 ~ 10
W7K-1/40	5 X 12	1 to 40	10	CDU/CPE/CTR 2.5
W7K-41/80	5 X 12	41 to 80	10	CDU/CPE/CTR 2.5
W7K-A/Z	5 X 12	A to Z	10	CDU/CPE/CTR 2.5
W8K-1/40	6 X 12	1 to 40	10	CDU/CPE/CTR 4 ~ 10 SDU/SPE 2.5
W8K-41/80	6 X 12	41 to 80	10	CDU/CPE/CTR 4 ~ 10 SDU/SPE 2.5
W8K-A/Z	6 X 12	A to Z	10	CDU/CPE/CTR 4 ~ 10 SDU/SPE 2.5



W7K-A/Z