3030325

https://www.phoenixcontact.com/us/products/3030325



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in bridge, pitch: 8.2 mm, number of positions: 3, color: red

Your advantages

• The 2- to 50-pos. jumpers can bridge up to 50 terminal blocks in the two bridge shafts of the CLIPLINE complete system in one step

Commercial data

Item number	3030325
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE29
Product key	BE2Z2X
Catalog page	Page 178 (C-1-2019)
GTIN	4055626029177
Weight per piece (including packing)	3.98 g
Weight per piece (excluding packing)	3.927 g
Customs tariff number	85366990
Country of origin	PL

3030325

https://www.phoenixcontact.com/us/products/3030325



Technical data

Product properties

Product type	Jumper
Number of positions	3
Pitch	8.2 mm
Electrical properties	
Maximum load current	41 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
Connection data	
Maximum load current	41 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
Dimensions	
Width	22.9 mm
Height	20.38 mm
Depth	20.38 mm
Pitch	8.2 mm
Material specifications	
Color	red
Material	Copper
Flammability rating according to UL 94	V0


Mounting

Insulating material

PA

3030325 https://www.phoenixcontact.com/us/products/3030325

Drawings



Schematic diagram





3030325

https://www.phoenixcontact.com/us/products/3030325



Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

	ETIM 9.0	EC000489		
UN	UNSPSC			
	UNSPSC 21.0	39121400		

3030325

https://www.phoenixcontact.com/us/products/3030325



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions	
China RoHS		
Environment friendly use period (EFUP)	EFUP-E	
	No hazardous substances above the limits	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com